

# DECLARATION OF PERFORMANCE

No. SP 1307 0101

Unique identification code of the product type: **SP 1307 0101**

Identification of the construction product: **Helical wall anchor Stati-CAL, with a diameter of 4.5 mm, 6 mm, 8 mm, 10 mm for use with mass StatiCAL R 30N or with two-components chemical mortar Resist SC400**

Intended use of the construction product: **Ancillary component for masonry – wall tie according EN 845-1: 2003 + A1: 2008**

Manufacturer: **Statical s.r.o., Ohradní 1087/61a, 140 00 Praha 4, Czech republic**

System of assessment and verification of constancy of performance: **system 3**

Name and identification of the notified body: **1020 Technical and Test Institute for Construction Prague, Prosecká 811/76a, Praha 9 – Prosek, 190 00, CZ, performed initial type testing and issued Initial type testing report No. 1020 – CPD – 090-022365, dated November 9, 2009**

Essential characteristics	Performance	Harmonised technical specification
<b>Resistance in pressure</b>	NPD	part 5.3.1.2. EN 845: 2003 + A1: 2008
<b>Tensile resistance</b>	min. 600 N	part 5.3.1.2. EN 845: 2003 + A1: 2008
<b>Sideslip / Bend strenght</b>	NPD	part 5.3.1.4. EN 845: 2003 + A1: 2008
<b>Resistance to water penetration through the cavity</b>	NPD	part 5.4 EN 845: 2003 + A1: 2008
<b>Durability</b>	Stainless steel 1.4301	part 5.6 EN 845: 2003 + A1: 2008
<b>Dangerous substances</b>	NPD	part 5.7 EN 845: 2003 + A1: 2008

NPD (no performance determined)

The performance of the product identified above is in conformity with the declared performance in the tab. This decalaration of performance is issued under the sole responsibility of the manufacturer identified here in. Signed for and behalf of the manufacturer.

**In Prague on 01.07.2013**



www.procertis.cz

**Statical s.r.o. ②**  
Ohradní 1087/61a  
140 00 PRAHA 4-Michle  
IG: 271 79 842  
DIČ: CZ271 79 842

**Pavel Kulesa, Company executive**